

Appln. No. Serial No. 09/997,502

Amtd. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 2 of 23

### AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Currently amended) A recommended item presentation method, comprising the steps of:

(a) receiving access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, converting the access logs into access log maps suitable for a recommended item presentation processing, and storing the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

(b) receiving and storing item rating values indicating levels of preference of clients regarding specific items from the clients;

(c) receiving a recommended item presentation request from one of the clients;

(d) producing a recommended item list for the client who issued the recommended item presentation request, according to the item rating values and the access log maps; and

(e) transmitting the recommended item list to the client who issued the recommended item presentation request.

2. (Currently amended) The method of claim 1, wherein ~~the step (a) obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.~~

Appl. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appl., Reply to Office Action of 9/19/2005

Page 2 of 23

### AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Currently amended) A recommended item presentation method, comprising the steps of:

(a) receiving access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, converting the access logs into access log maps suitable for a recommended item presentation processing, and storing the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

(b) receiving and storing item rating values indicating levels of preference of clients regarding specific items from the clients;

(c) receiving a recommended item presentation request from one of the clients;

(d) producing a recommended item list for the client who issued the recommended item presentation request, according to the item rating values and the access log maps; and

(e) transmitting the recommended item list to the client who issued the recommended item presentation request.

2. (Currently amended) The method of claim 1, ~~wherein the step (a) obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.~~

Appln. No. Serial No. 09/997,502  
Amtdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 3 of 23

3. (Original) The method of claim 2, wherein the step (d) includes the steps of:

(d1) extracting a group of highly rated items of the client given by a list of item identifiers of a prescribed number of items from a top in the list of item identifiers and their rating values for each client identifier or a list of item identifiers of those items for which the item rating values are greater than a prescribed value;

(d2) extracting a group of related clients given by a list of client identifiers stored in the access log map for each item identifier contained in the group of highly rated items extracted by the step (d1);

(d3) narrowing down the group of related clients extracted by the step (d2);

(d4) extracting a group of related items given by a list of item identifiers stored in the access log map for each client identifier contained in the group of related clients narrowed by the step (d3); and

(d5) obtaining the recommended item list by narrowing down the group of related items extracted by the step (d4).

4. (Original) The method of claim 3, wherein the step (d3) narrows down the group of related clients by rearranging the group of related clients in a descending order of a number of accesses with respect to the group of highly rated items extracted by the step (d1) and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and the step (d5) narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients obtained by the step (d3) and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

Appln. No. Serial No. 09/997,501

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 4 of 23

5. (Currently amended) A recommended item presentation method, comprising the steps of:

(a) receiving and storing access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server;

(b) receiving the access logs for the plurality of clients from the item provider server, extracting only the access logs of those clients who are targets for collecting the access logs from the access logs received from the item provider server according to the access log collecting target client data stored by the step (a), converting only the extracted access logs into access log maps suitable for a recommended item presentation processing, and storing the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

(c) receiving a recommended item presentation request from one of the clients;

(d) if the client is a target, then producing a recommended item list for the client who issued the recommended item presentation request, according to the access log maps; and

(e) transmitting the recommended item list to the client who issued the recommended item presentation request.

6. (Original) The method of claim 5, wherein the step (c) receives a client identifier of the client and a list of item identifiers of items accessed by the client, along with the recommended item presentation request, and the step (d) produces the recommended item list also according to the list of item identifiers received by the step (c).

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln. Reply to Office Action of 9/19/2005

Page 5 of 23

7. (Previously presented) The method of claim 5, further comprising the steps of:

(f) storing the access logs for those clients who are not targets for collecting the access logs separately from the access log maps for those clients who are targets for collecting the access logs, according to the access log collecting target client data stored by the step (a);

wherein if the client is not a target, then producing the recommended item list for the client according to the access logs for the client stored by the step (f).

8. (Original) The method of claim 5, further comprising the step of:

(g) receiving and storing item rating values indicating levels of preference of the clients regarding specific items from the clients;

wherein the step (d) produces the recommended item list for the client also according to the item rating values for the client stored by the step (g).

9. (Currently amended) The method of claim 5, wherein the step (b) obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 6 of 23

10. (Original) The method of claim 9, wherein the step (d) includes the steps of:
- (d1) extracting a group of highly rated items of the client given by a list of item identifiers of a prescribed number of items from a top in the list of item identifiers and their rating values for each client identifier or a list of item identifiers of those items for which the item rating values are greater than a prescribed value;
  - (d2) extracting a group of related clients given by a list of client identifiers stored in the access log map for each item identifier contained in the group of highly rated items extracted by the step (d1);
  - (d3) narrowing down the group of related clients extracted by the step (d2);
  - (d4) extracting a group of related items given by a list of item identifiers stored in the access log map for each client identifier contained in the group of related clients narrowed by the step (d3); and
  - (d5) obtaining the recommended item list by narrowing down the group of related items extracted by the step (d4).

11. (Original) The method of claim 10, wherein the step (d3) narrows down the group of related clients by rearranging the group of related clients in a descending order of a number of accesses with respect to the group of highly rated items extracted by the step (d1) and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and the step (d5) narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients obtained by the step (d3) and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 7 of 23

12. (Currently amended) A recommended item presentation method, comprising the steps of:

(a) receiving access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server, sending access log transmission requests to those clients who are targets for collecting the access logs, and sending access log transmission stopping requests to those clients who are not targets for collecting the access logs;

(b) receiving the access logs from those clients who are targets for collecting the access logs, converting the access logs into access log maps suitable for a recommended item presentation processing, and storing the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

(c) receiving a recommended item presentation request from one of the clients who are targets;

(d) producing a recommended item list for the client who issued the recommended item presentation request, according to the access log maps; and

(e) transmitting the recommended item list to the client who issued the recommended item presentation request.

13. (Original) The method of claim 12, further comprising the step of:

(f) receiving and recording a list of item identifiers of items to be delivered from the item provider server, along with an item delivery request.

Appln. No. Serial No. 09/997,502

Amtdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 8 of 23

14. (Previously presented) The method of claim 12, further comprising the steps of:  
(g) incrementing a received log count of each client who is a target when an access log is received from each client who is a target; and

(h) regularly counting the received log count of each client who is a target and transmitting a counted received log count of each client who is a target to the item provider server.

15. (Original) The method of claim 14, further comprising the step of:

(i) paying a log providing fee from the item provider server to each client who provided the access logs according to the received log count of each client transmitted at the step (h).

16. (Currently amended) The method of claim 12, wherein the step (b) obtains ~~each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.~~

17. (Original) The method of claim 12, wherein the step (c) receives a client identifier of the client and a list of item identifiers of items accessed by the client, along with the recommended item presentation request, and the step (d) produces the recommended item list also according to the list of item identifiers received by the step (c).



Appl. No. Serial No. 09/997,302

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 9 of 23

18. (Original) The method of claim 17, wherein the step (d) includes the steps of:  
(d1) extracting a group of related clients given by a list of client identifiers of those clients who are accessing each item whose item identifier is contained in the list of item identifiers received by the step (c), according to the access log maps stored by the step (b);  
(d2) narrowing down the group of related clients extracted by the step (d1);  
(d3) extracting a group of related items given by a list of item identifiers of items accessed by each client whose client identifier is contained in the group of related clients narrowed by the step (d2), according to the access log maps stored by the step (b); and  
(d4) obtaining the recommended item list by narrowing down the group of related items extracted by the step (d3).

19. (Original) The method of claim 18, wherein the step (d2) narrows down the group of related clients by rearranging a group of related clients in a descending order of a number of accesses with respect to items whose item identifiers are contained in the list of item identifiers received by the step (c) and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and the step (d4) narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients obtained by the step (d2) and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 10 of 23

20. (Original) The method of claim 18, wherein the step (d2) narrows down the group of related clients by rearranging a group of related clients in a descending order of a number of accesses with respect to items whose item identifiers are contained in the list of item identifiers received by the step (c) and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and the step (d4) narrows down the group of related items by rearranging a group of items contained in the recommended item list in a descending order of a number of accesses from the new group of related clients obtained by the step (d2) and setting a prescribed number of items from a top of a rearranged group of items as a new recommended item list.

21. (Currently amended) A recommended item presentation device, comprising:  
a first unit configured to receive access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, convert the access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a second unit configured to receive and store item rating values indicating levels of preference of clients regarding specific items from the clients;

a third unit configured to receive a recommended item presentation request from one of the clients;

a fourth unit configured to produce a recommended item list for the client who issued the recommended item presentation request, according to the item rating values and the access log maps ~~for the client who issued the recommended item presentation request~~; and

a fifth unit configured to transmit the recommended item list to the client who issued the recommended item presentation request.

Appln. No. Serial No. 09/997,502

Amtdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 11 of 23

22. (Currently amended) The device of claim 21, wherein ~~the first unit obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given~~ by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.

23. (Original) The device of claim 22, wherein the fourth unit extracts a group of highly rated items of the client given by a list of item identifiers of a prescribed number of items from a top in the list of item identifiers and their rating values for each client identifier or a list of item identifiers of those items for which the item rating values are greater than a prescribed value; extracts a group of related clients given by a list of client identifiers stored in the access log map for each item identifier contained in the group of highly rated items as extracted; narrows down the group of related clients as extracted; extracts a group of related items given by a list of item identifiers stored in the access log map for each client identifier contained in the group of related clients as narrowed; and obtains the recommended item list by narrowing down the group of related items as extracted.

24. (Original) The device of claim 23, wherein fourth unit narrows down the group of related clients by rearranging the group of related clients in a descending order of a number of accesses with respect to the group of highly rated items as extracted and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients as obtained and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 12 of 23

25. (Currently amended) A recommended item presentation device, comprising:  
a first unit configured to receive and store access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server;

a second unit configured to receive the access logs for the plurality of clients from the item provider server, extracting only the access logs of those clients who are targets for collecting the access logs from the access logs received from the item provider server according to the access log collecting target client data stored by the first unit, convert only the extracted access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a third unit configured to receive a recommended item presentation request from one of the clients who are targets;

a fourth unit configured to produce a recommended item list for the client who issued the recommended item presentation request, according to the access log maps for the client ~~who issued the recommended item presentation request~~; and

a fifth unit configured to transmit the recommended item list to the client who issued the recommended item presentation request.

26. (Original) The device of claim 25, wherein the third unit receives a client identifier of the client and a list of item identifiers of items accessed by the client, along with the recommended item presentation request, and the fourth unit produces the recommended item list also according to the list of item identifiers received by the third unit.

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 13 of 23

27. (Previously presented) The device of claim 25, further comprising:  
a sixth unit configured to store the access logs for those clients who are not targets for collecting the access logs, separately from the access log maps for those clients who are targets for collecting the access logs, according to the access log collecting target client data stored by the first unit;

wherein the third unit is configured to receive a recommended item presentation request from one of the clients who are not targets; and

wherein the fourth unit produces a recommended item list for the client who is not a target according to the access logs stored by the sixth unit when the client is one of those clients who are not targets for collecting the access logs.

28. (Original) The device of claim 25, further comprising:

a sixth unit configured to receive and store item rating values indicating levels of preference of the clients regarding specific items from the clients;

wherein the fourth unit produces the recommended item list for the client also according to the item rating values for the client stored by the sixth unit.

29. (Currently amended) The device of claim 25, wherein ~~the second unit obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.~~

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln. Reply to Office Action of 9/19/2005

Page 14 of 23

30. (Original) The device of claim 29, wherein the fourth unit extracts a group of highly rated items of the client given by a list of item identifiers of a prescribed number of items from a top in the list of item identifiers and their rating values for each client identifier or a list of item identifiers of those items for which the item rating values are greater than a prescribed value; extracts a group of related clients given by a list of client identifiers stored in the access log map for each item identifier contained in the group of highly rated items as extracted; narrows down the group of related clients as extracted; extracts a group of related items given by a list of item identifiers stored in the access log map for each client identifier contained in the group of related clients as narrowed; and obtains the recommended item list by narrowing down the group of related items as extracted.

31. (Original) The device of claim 30, wherein the fourth unit narrows down the group of related clients by rearranging the group of related clients in a descending order of a number of accesses with respect to the group of highly rated items as extracted and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients as obtained and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 15 of 23

32. (Currently amended) A recommended item presentation device, comprising:  
a first unit configured to receive access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server, send access log transmission requests to those clients who are targets for collecting the access logs, and send access log transmission stopping requests to those clients who are not targets for collecting the access logs;

a second unit configured to receive the access logs from those clients who are targets for collecting the access logs, convert the access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a third unit configured to receive a recommended item presentation request from one of the clients who are targets;

a fourth unit configured to produce a recommended item list for the client who issued the recommended item presentation request, according to the access log maps for the client ~~who issued the recommended item presentation request;~~ and

a fifth unit configured to transmit the recommended item list to the client who issued the recommended item presentation request.

33. (Original) The device of claim 32, further comprising:

a sixth unit configured to receive and record a list of item identifiers of items to be delivered from the item provider server, along with an item delivery request.

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 16 of 23

34. (Previously presented) The device of claim 32, further comprising:  
a sixth unit configured to increment a received log count of each client who is a target when an access log is received from each client who is a target; and  
a seventh unit configured to regularly count the received log count of each client who is a target and transmit a counted received log count of each client who is a target to the item provider server.

35. (Currently amended) The device of claim 32, wherein ~~the second unit obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.~~

36. (Original) The device of claim 32, wherein the third unit receives a client identifier of the client and a list of item identifiers of items accessed by the client, along with the recommended item presentation request, and the fourth unit produces the recommended item list also according to the list of item identifiers received by the third unit.

37. (Original) The device of claim 36, wherein the fourth unit extracts a group of related clients given by a list of client identifiers of those clients who are accessing each item whose item identifier is contained in the list of item identifiers received by the third unit, according to the access log maps stored by the second unit; narrows down the group of related clients as extracted; extracts a group of related items given by a list of item identifiers of items accessed by each client whose client identifier is contained in the group of related clients as narrowed, according to the access log maps stored by the second unit; and obtains the recommended item list by narrowing down the group of related items as extracted.

91074001



Appln. No. Serial No. 09/997,502

Amtd. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 17 of 23

38. (Original) The device of claim 37, wherein the fourth unit narrows down the group of related clients by rearranging a group of related clients in a descending order of a number of accesses with respect to items whose item identifiers are contained in the list of item identifiers received by the third unit and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients as obtained and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

39. (Original) The device of claim 37, wherein the fourth unit narrows down the group of related clients by rearranging a group of related clients in a descending order of a number of accesses with respect to items whose item identifiers are contained in the list of item identifiers received by the third unit and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and narrows down the group of related items by rearranging a group of items contained in the recommended item list in a descending order of a number of accesses from the new group of related clients as obtained and setting a prescribed number of items from a top of a rearranged group of items as a new recommended item list.

Appln. No. Serial No. 09/997,502

Amtdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 18 of 23

40. (Currently amended) A computer usable medium having computer readable program codes embodied therein for causing a computer to function as a recommended item presentation device, the computer readable program codes include:

a first computer readable program code for causing said computer to receive access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, convert the access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a second computer readable program code for causing said computer to receive and store item rating values indicating levels of preference of clients regarding specific items from the clients;

a third computer readable program code for causing said computer to receive a recommended item presentation request from one of the clients;

a fourth computer readable program code for causing said computer to produce a recommended item list for the client who issued the recommended item presentation request, according to the item rating values and the access log maps ~~for the client who issued the recommended item presentation request,~~ and

a fifth computer readable program code for causing said computer to transmit the recommended item list to the client who issued the recommended item presentation request.

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 19 of 23

41. (Currently amended) A computer usable medium having computer readable program codes embodied therein for causing a computer to function as a recommended item presentation device, the computer readable program codes include:

a first computer readable program code for causing said computer to receive and store access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server;

a second computer readable program code for causing said computer to receive the access logs for the plurality of clients from the item provider server, extracting only the access logs of those clients who are targets for collecting the access logs from the access logs received from the item provider server according to the access log collecting target client data stored by the first computer readable program code, convert only the extracted access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a third computer readable program code for causing said computer to receive a recommended item presentation request from one of the clients who are targets;

a fourth computer readable program code for causing said computer to produce a recommended item list for the client who issued the recommended item presentation request, according to the access log maps ~~for the client who issued the recommended item presentation request;~~ and

a fifth computer readable program code for causing said computer to transmit the recommended item list to the client who issued the recommended item presentation request.

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 20 of 23

42. (Currently amended) A computer usable medium having computer readable program codes embodied therein for causing a computer to function as a recommended item presentation device, the computer readable program codes include:

a first computer readable program code for causing said computer to receive access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server, send access log transmission requests to those clients who are targets for collecting the access logs, and send access log transmission stopping requests to those clients who are not targets for collecting the access logs;

a second computer readable program code for causing said computer to receive the access logs from those clients who are targets for collecting the access logs, convert the access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a third computer readable program code for causing said computer to receive a recommended item presentation request from one of the clients who are targets;

a fourth computer readable program code for causing said computer to produce a recommended item list for the client who issued the recommended item presentation request, according to the access log maps ~~for the client who issued the recommended item presentation request;~~ and

a fifth computer readable program code for causing said computer to transmit the recommended item list to the client who issued the recommended item presentation request.

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 2 of 23

### AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

1. (Currently amended) A recommended item presentation method, comprising the steps of:

(a) receiving access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, converting the access logs into access log maps suitable for a recommended item presentation processing, and storing the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

(b) receiving and storing item rating values indicating levels of preference of clients regarding specific items from the clients;

(c) receiving a recommended item presentation request from one of the clients;

(d) producing a recommended item list for the client who issued the recommended item presentation request, according to the item rating values and the access log maps; and

(e) transmitting the recommended item list to the client who issued the recommended item presentation request.

2. (Currently amended) The method of claim 1, ~~wherein the step (a) obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.~~

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 3 of 23

3. (Original) The method of claim 2, wherein the step (d) includes the steps of:
- (d1) extracting a group of highly rated items of the client given by a list of item identifiers of a prescribed number of items from a top in the list of item identifiers and their rating values for each client identifier or a list of item identifiers of those items for which the item rating values are greater than a prescribed value;
  - (d2) extracting a group of related clients given by a list of client identifiers stored in the access log map for each item identifier contained in the group of highly rated items extracted by the step (d1);
  - (d3) narrowing down the group of related clients extracted by the step (d2);
  - (d4) extracting a group of related items given by a list of item identifiers stored in the access log map for each client identifier contained in the group of related clients narrowed by the step (d3); and
  - (d5) obtaining the recommended item list by narrowing down the group of related items extracted by the step (d4).

4. (Original) The method of claim 3, wherein the step (d3) narrows down the group of related clients by rearranging the group of related clients in a descending order of a number of accesses with respect to the group of highly rated items extracted by the step (d1) and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and the step (d5) narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients obtained by the step (d3) and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 4 of 23

5. (Currently amended) A recommended item presentation method, comprising the steps of:

(a) receiving and storing access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server;

(b) receiving the access logs for the plurality of clients from the item provider server, extracting only the access logs of those clients who are targets for collecting the access logs from the access logs received from the item provider server according to the access log collecting target client data stored by the step (a), converting only the extracted access logs into access log maps suitable for a recommended item presentation processing, and storing the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

(c) receiving a recommended item presentation request from one of the clients;

(d) if the client is a target, then producing a recommended item list for the client who issued the recommended item presentation request, according to the access log maps; and

(e) transmitting the recommended item list to the client who issued the recommended item presentation request.

6. (Original) The method of claim 5, wherein the step (c) receives a client identifier of the client and a list of item identifiers of items accessed by the client, along with the recommended item presentation request, and the step (d) produces the recommended item list also according to the list of item identifiers received by the step (c).

BEST AVAILABLE COPY

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 5 of 23

7. (Previously presented) The method of claim 5, further comprising the steps of:  
(f) storing the access logs for those clients who are not targets for collecting the access logs separately from the access log maps for those clients who are targets for collecting the access logs, according to the access log collecting target client data stored by the step (a);

wherein if the client is not a target, then producing the recommended item list for the client according to the access logs for the client stored by the step (f).

8. (Original) The method of claim 5, further comprising the step of:  
(g) receiving and storing item rating values indicating levels of preference of the clients regarding specific items from the clients;  
wherein the step (d) produces the recommended item list for the client also according to the item rating values for the client stored by the step (g).

9. (Currently amended) The method of claim 5, wherein the step (b) obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.

BEST AVAILABLE COPY



Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 6 of 23

10. (Original) The method of claim 9, wherein the step (d) includes the steps of:
- (d1) extracting a group of highly rated items of the client given by a list of item identifiers of a prescribed number of items from a top in the list of item identifiers and their rating values for each client identifier or a list of item identifiers of those items for which the item rating values are greater than a prescribed value;
  - (d2) extracting a group of related clients given by a list of client identifiers stored in the access log map for each item identifier contained in the group of highly rated items extracted by the step (d1);
  - (d3) narrowing down the group of related clients extracted by the step (d2);
  - (d4) extracting a group of related items given by a list of item identifiers stored in the access log map for each client identifier contained in the group of related clients narrowed by the step (d3); and
  - (d5) obtaining the recommended item list by narrowing down the group of related items extracted by the step (d4).

11. (Original) The method of claim 10, wherein the step (d3) narrows down the group of related clients by rearranging the group of related clients in a descending order of a number of accesses with respect to the group of highly rated items extracted by the step (d1) and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and the step (d5) narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients obtained by the step (d3) and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

REST AVAILABLE COPY

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 7 of 23

12. (Currently amended) A recommended item presentation method, comprising the steps of:

(a) receiving access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server, sending access log transmission requests to those clients who are targets for collecting the access logs, and sending access log transmission stopping requests to those clients who are not targets for collecting the access logs;

(b) receiving the access logs from those clients who are targets for collecting the access logs, converting the access logs into access log maps suitable for a recommended item presentation processing, and storing the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

(c) receiving a recommended item presentation request from one of the clients who are targets;

(d) producing a recommended item list for the client who issued the recommended item presentation request, according to the access log maps; and

(e) transmitting the recommended item list to the client who issued the recommended item presentation request.

13. (Original) The method of claim 12, further comprising the step of:

(f) receiving and recording a list of item identifiers of items to be delivered from the item provider server, along with an item delivery request.

BEST AVAILABLE COPY

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 8 of 23

14. (Previously presented) The method of claim 12, further comprising the steps of:  
(g) incrementing a received log count of each client who is a target when an access log is received from each client who is a target; and  
(h) regularly counting the received log count of each client who is a target and transmitting a counted received log count of each client who is a target to the item provider server.
15. (Original) The method of claim 14, further comprising the step of:  
(i) paying a log providing fee from the item provider server to each client who provided the access logs according to the received log count of each client transmitted at the step (h).
16. (Currently amended) The method of claim 12, wherein the step (b) obtains ~~each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is~~ the distances are given by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.
17. (Original) The method of claim 12, wherein the step (c) receives a client identifier of the client and a list of item identifiers of items accessed by the client, along with the recommended item presentation request, and the step (d) produces the recommended item list also according to the list of item identifiers received by the step (c).

BEST AVAILABLE COPY

Appln. No. Serial No. 09/997,502

Amtd. Dated 1/19/06

Second Response in Appln. Reply to Office Action of 9/19/2005

Page 9 of 23

18. (Original) The method of claim 17, wherein the step (d) includes the steps of:  
(d1) extracting a group of related clients given by a list of client identifiers of those clients who are accessing each item whose item identifier is contained in the list of item identifiers received by the step (c), according to the access log maps stored by the step (b);  
(d2) narrowing down the group of related clients extracted by the step (d1);  
(d3) extracting a group of related items given by a list of item identifiers of items accessed by each client whose client identifier is contained in the group of related clients narrowed by the step (d2), according to the access log maps stored by the step (b); and  
(d4) obtaining the recommended item list by narrowing down the group of related items extracted by the step (d3).

19. (Original) The method of claim 18, wherein the step (d2) narrows down the group of related clients by rearranging a group of related clients in a descending order of a number of accesses with respect to items whose item identifiers are contained in the list of item identifiers received by the step (c) and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and the step (d4) narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients obtained by the step (d2) and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

BEST AVAILABLE COPY

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 10 of 23

20. (Original) The method of claim 18, wherein the step (d2) narrows down the group of related clients by rearranging a group of related clients in a descending order of a number of accesses with respect to items whose item identifiers are contained in the list of item identifiers received by the step (c) and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and the step (d4) narrows down the group of related items by rearranging a group of items contained in the recommended item list in a descending order of a number of accesses from the new group of related clients obtained by the step (d2) and setting a prescribed number of items from a top of a rearranged group of items as a new recommended item list.

21. (Currently amended) A recommended item presentation device, comprising:  
a first unit configured to receive access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, convert the access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a second unit configured to receive and store item rating values indicating levels of preference of clients regarding specific items from the clients;

a third unit configured to receive a recommended item presentation request from one of the clients;

a fourth unit configured to produce a recommended item list for the client who issued the recommended item presentation request, according to the item rating values and the access log maps ~~for the client who issued the recommended item presentation request;~~ and

a fifth unit configured to transmit the recommended item list to the client who issued the recommended item presentation request.

BEST AVAILABLE COPY

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln. Reply to Office Action of 9/19/2005  
Page 11 of 23

22. (Currently amended) The device of claim 21, wherein the first unit obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.

23. (Original) The device of claim 22, wherein the fourth unit extracts a group of highly rated items of the client given by a list of item identifiers of a prescribed number of items from a top in the list of item identifiers and their rating values for each client identifier or a list of item identifiers of those items for which the item rating values are greater than a prescribed value; extracts a group of related clients given by a list of client identifiers stored in the access log map for each item identifier contained in the group of highly rated items as extracted; narrows down the group of related clients as extracted; extracts a group of related items given by a list of item identifiers stored in the access log map for each client identifier contained in the group of related clients as narrowed; and obtains the recommended item list by narrowing down the group of related items as extracted.

24. (Original) The device of claim 23, wherein fourth unit narrows down the group of related clients by rearranging the group of related clients in a descending order of a number of accesses with respect to the group of highly rated items as extracted and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients as obtained and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

BEST AVAILABLE COPY

Appl. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln. Reply to Office Action of 9/19/2005

Page 12 of 23

25. (Currently amended) A recommended item presentation device, comprising:  
a first unit configured to receive and store access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server;

a second unit configured to receive the access logs for the plurality of clients from the item provider server, extracting only the access logs of those clients who are targets for collecting the access logs from the access logs received from the item provider server according to the access log collecting target client data stored by the first unit, convert only the extracted access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a third unit configured to receive a recommended item presentation request from one of the clients who are targets;

a fourth unit configured to produce a recommended item list for the client who issued the recommended item presentation request, according to the access log maps ~~for the client who issued the recommended item presentation request;~~ and

a fifth unit configured to transmit the recommended item list to the client who issued the recommended item presentation request.

26. (Original) The device of claim 25, wherein the third unit receives a client identifier of the client and a list of item identifiers of items accessed by the client, along with the recommended item presentation request, and the fourth unit produces the recommended item list also according to the list of item identifiers received by the third unit.

BEST AVAILABLE COPY

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln. Reply to Office Action of 9/19/2005  
Page 13 of 23

27. (Previously presented) The device of claim 25, further comprising:  
a sixth unit configured to store the access logs for those clients who are not targets for collecting the access logs, separately from the access log maps for those clients who are targets for collecting the access logs, according to the access log collecting target client data stored by the first unit;

wherein the third unit is configured to receive a recommended item presentation request from one of the clients who are not targets; and

wherein the fourth unit produces a recommended item list for the client who is not a target according to the access logs stored by the sixth unit when the client is one of those clients who are not targets for collecting the access logs.

28. (Original) The device of claim 25, further comprising:

a sixth unit configured to receive and store item rating values indicating levels of preference of the clients regarding specific items from the clients;

wherein the fourth unit produces the recommended item list for the client also according to the item rating values for the client stored by the sixth unit.

29. (Currently amended) The device of claim 25, wherein the second unit obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.

BEST AVAILABLE COPY



Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 14 of 23

30. (Original) The device of claim 29, wherein the fourth unit extracts a group of highly rated items of the client given by a list of item identifiers of a prescribed number of items from a top in the list of item identifiers and their rating values for each client identifier or a list of item identifiers of those items for which the item rating values are greater than a prescribed value; extracts a group of related clients given by a list of client identifiers stored in the access log map for each item identifier contained in the group of highly rated items as extracted; narrows down the group of related clients as extracted; extracts a group of related items given by a list of item identifiers stored in the access log map for each client identifier contained in the group of related clients as narrowed; and obtains the recommended item list by narrowing down the group of related items as extracted.

31. (Original) The device of claim 30, wherein the fourth unit narrows down the group of related clients by rearranging the group of related clients in a descending order of a number of accesses with respect to the group of highly rated items as extracted and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients; and narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients as obtained and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

BEST AVAILABLE COPY

Appln. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 15 of 23

32. (Currently amended) A recommended item presentation device, comprising:  
a first unit configured to receive access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server, send access log transmission requests to those clients who are targets for collecting the access logs, and send access log transmission stopping requests to those clients who are not targets for collecting the access logs;

a second unit configured to receive the access logs from those clients who are targets for collecting the access logs, convert the access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a third unit configured to receive a recommended item presentation request from one of the clients who are targets;

a fourth unit configured to produce a recommended item list for the client who issued the recommended item presentation request, according to the access log maps ~~for the client who issued the recommended item presentation request~~, and

a fifth unit configured to transmit the recommended item list to the client who issued the recommended item presentation request.

33. (Original) The device of claim 32, further comprising:

a sixth unit configured to receive and record a list of item identifiers of items to be delivered from the item provider server, along with an item delivery request.

Appl. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 16 of 23

34. (Previously presented) The device of claim 32, further comprising:  
a sixth unit configured to increment a received log count of each client who is a target when an access log is received from each client who is a target; and  
a seventh unit configured to regularly count the received log count of each client who is a target and transmit a counted received log count of each client who is a target to the item provider server.

35. (Currently amended) The device of claim 32, wherein the second unit obtains each access log map as a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier, where a distance for each item is the distances are given by processing an information readable from each access log that contains a number of accesses made to each item or date and time of a latest access to each item.

36. (Original) The device of claim 32, wherein the third unit receives a client identifier of the client and a list of item identifiers of items accessed by the client, along with the recommended item presentation request, and the fourth unit produces the recommended item list also according to the list of item identifiers received by the third unit.

37. (Original) The device of claim 36, wherein the fourth unit extracts a group of related clients given by a list of client identifiers of those clients who are accessing each item whose item identifier is contained in the list of item identifiers received by the third unit, according to the access log maps stored by the second unit; narrows down the group of related clients as extracted; extracts a group of related items given by a list of item identifiers of items accessed by each client whose client identifier is contained in the group of related clients as narrowed, according to the access log maps stored by the second unit; and obtains the recommended item list by narrowing down the group of related items as extracted.

Appln. No. Serial No. 09/997,502

Amtd. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 17 of 23

38. (Original) The device of claim 37, wherein the fourth unit narrows down the group of related clients by rearranging a group of related clients in a descending order of a number of accesses with respect to items whose item identifiers are contained in the list of item identifiers received by the third unit and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and narrows down the group of related items by rearranging the group of related items in a descending order of a number of accesses from the new group of related clients as obtained and setting a prescribed number of items from a top of a rearranged group of related items as the recommended item list.

39. (Original) The device of claim 37, wherein the fourth unit narrows down the group of related clients by rearranging a group of related clients in a descending order of a number of accesses with respect to items whose item identifiers are contained in the list of item identifiers received by the third unit and setting a prescribed number of clients from a top of a rearranged group of related clients as a new group of related clients, and narrows down the group of related items by rearranging a group of items contained in the recommended item list in a descending order of a number of accesses from the new group of related clients as obtained and setting a prescribed number of items from a top of a rearranged group of items as a new recommended item list.

Appl. No. Serial No. 09/997,502

Amdt. Dated 1/19/06

Second Response in Appln. Reply to Office Action of 9/19/2005

Page 18 of 23

40. (Currently amended) A computer usable medium having computer readable program codes embodied therein for causing a computer to function as a recommended item presentation device, the computer readable program codes include:

a first computer readable program code for causing said computer to receive access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, convert the access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a second computer readable program code for causing said computer to receive and store item rating values indicating levels of preference of clients regarding specific items from the clients;

a third computer readable program code for causing said computer to receive a recommended item presentation request from one of the clients;

a fourth computer readable program code for causing said computer to produce a recommended item list for the client who issued the recommended item presentation request, according to the item rating values and the access log maps ~~for the client who issued the recommended item presentation request;~~ and

a fifth computer readable program code for causing said computer to transmit the recommended item list to the client who issued the recommended item presentation request.

Appln. No. Serial No. 09/997,502  
Amdt. Dated 1/19/06  
Second Response in Appln, Reply to Office Action of 9/19/2005  
Page 19 of 23

41. (Currently amended) A computer usable medium having computer readable program codes embodied therein for causing a computer to function as a recommended item presentation device, the computer readable program codes include:

a first computer readable program code for causing said computer to receive and store access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server;

a second computer readable program code for causing said computer to receive the access logs for the plurality of clients from the item provider server, extracting only the access logs of those clients who are targets for collecting the access logs from the access logs received from the item provider server according to the access log collecting target client data stored by the first computer readable program code, convert only the extracted access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a third computer readable program code for causing said computer to receive a recommended item presentation request from one of the clients who are targets;

a fourth computer readable program code for causing said computer to produce a recommended item list for the client who issued the recommended item presentation request, according to the access log maps ~~for the client who issued the recommended item presentation request;~~ and

a fifth computer readable program code for causing said computer to transmit the recommended item list to the client who issued the recommended item presentation request.

Appl. No. Serial No. 09/997,502

Amtd. Dated 1/19/06

Second Response in Appln, Reply to Office Action of 9/19/2005

Page 20 of 23

42. (Currently amended) A computer usable medium having computer readable program codes embodied therein for causing a computer to function as a recommended item presentation device, the computer readable program codes include:

a first computer readable program code for causing said computer to receive access log collecting target client data indicating those clients who are targets for collecting access logs for viewing/purchasing items by a plurality of clients from an item provider server which provides items to the clients through a network, and those clients who are not targets for collecting the access logs from the item provider server, send access log transmission requests to those clients who are targets for collecting the access logs, and send access log transmission stopping requests to those clients who are not targets for collecting the access logs;

a second computer readable program code for causing said computer to receive the access logs from those clients who are targets for collecting the access logs, convert the access logs into access log maps suitable for a recommended item presentation processing, and store the access log maps, wherein the access log maps include a list of item identifiers and their distances for each client identifier or a list of client identifiers and their distances for each item identifier;

a third computer readable program code for causing said computer to receive a recommended item presentation request from one of the clients who are targets;

a fourth computer readable program code for causing said computer to produce a recommended item list for the client who issued the recommended item presentation request, according to the access log maps ~~for the client who issued the recommended item presentation request;~~ and

a fifth computer readable program code for causing said computer to transmit the recommended item list to the client who issued the recommended item presentation request.